

GENERAL INFORMATION ABOUT USAGE OF OUR PRODUCTS

The accessories which produced by Kare Banyo are brass, stainless steel, zinc, aluminium and ABS.

All our products are for outdoor usage.

1. Keep the product in its original boxes
2. Installation of the product must be done by qualified personnel.
3. Do not use pipe wrench, serrated metal key ongoing construction of chrome-plated surfaces during the assembly
4. Never use the product before finish the construction of the structure
5. use only a damp soft cloth to clean the surface of the product,
6. Products that can damage the coating of acid-containing cleaning chemicals, paint thinner, hydrochloric acid, powder cleaners, dishwashing detergent, lime and rust remover and so on. agents, scourers, sponges or harsh cleaning Never use abrasive materials similar. Products only a soft, damp cloth and cleaned using soapy water and then wipe dry immediately.
7. Products should not be exposed to high temperatures and humidity.
8. Cigarette burns, etc. on the product. combustible materials should not be left.
9. Items on the cutter, drill, scribe, crusher and so on. instruments should not be taken, it may damage the product on the product should be handled with these and similar tools.
10. Will make your bathroom renovations, painting or cleaning products in general from the possible effects must be protected.
11. Protect your product against shock, do not overload on other than its intended use.

ATTENTION CUSTOMER ISSUES:

1. Please check your products delivered
2. Kare branded products, to prevent product damage during shipping and item; but items you can not be mounted on tracks in special packaging with the aim to provide complete access are presented. Do not take products without the original packaging and you receive as originally packaged products Do not unpack until the assembly stage. Products
3. Storage and prior to installation of the holding case 15 to below ambient temperature to drop off should be kept in storage areas. Packaged products to rain, water, moisture, such as dust and fire damage to the product and packaging should be protected from situations. Products above the other excessive clutter and product packaging must not be allowed to be crushed. Measures against tipping and falling should be taken. Failure to comply with these rules, our company is not liable for any damages that may arise.
4. For your safety accessories suitable for wall and floor mounted and be sure to confirm that the exit.
5. Standard fasteners, solid wall types are suitable. Before mounting, wall mounting and connection check the material.
6. Wall before drilling your gas, plumbing or electrical wiring, make sure that there is.

7. Carefully remove all packing material. Be careful not to accidentally throwing mounting material please. Please recycle the packing materials that can be reused boxes your horse.

WARRANTY CONDITIONS:

1. The warranty period starts from the date of delivery of the product. Chrome plated products 5 years; other coating types (gold, silver, satin, paint) are guaranteed for 2 years.
2. All products and products that make up our company warranty against manufacturing defects on all parts are covered.
3. In case of malfunction within the warranty period, the warranty period is added to the repair time. Product repair time is up to 20 business days. This time, the product seller, dealer or manufacturer to one of starts on the date of delivery.
4. Products can not be repaired within 20 working days in case of repair of the product, until the completion of repair another product having similar properties to the end-user will be granted.
5. Within the warranty period because of their material and workmanship or manufacturing defects the event of failure of labor costs, cost of replaced parts or under any other name will be repaired without any charge.
6. Warranty to be valid invoice or voucher submission requirements is mandatory. Product of the invoice or voucher warranty replaces.
7. Resulting from the use of the product contrary to the guarantee conditions are outside the scope of warranty.

WARRANTY REMAINING CONDITIONS:

1. Damage that may occur during transportation of products.
2. Products, construction activities continued in the environment caused due to prolonged exposure surface deterioration
3. Faulty assembly made by unauthorized use 3 parties
4. Without purification installation in new construction as a result of mounting of items, construction waste induced defects.
5. Products contrary to the matters contained in the instruction manual of defects arising from the use.
6. Acid-containing powder or liquid abrasive cleaning agents in the cleaning results with surface deterioration.
7. Products to be disassembled by unauthorized repair unit.
8. Original spare parts, used parts, except the cause of deterioration of the product's features.
9. 220V 50Hz mains voltage electrical products outside the product's operation.

10. Products of the environment of use abrasive powders or liquid containing acid and cleaned with cleaning products because of inadequate ventilation resulting steam which generates in the coating of products deterioration.
11. Items or hard to use incorrectly or failures will occur as a result of user error.